



The Stokes Group

REAL ESTATE



Disclosure Packet

**3231 STEPHENSON PLACE NW
WASHINGTON, DC 20015**

Anslie Stokes Milligan, GRI
McEneaney Associates, Inc., REALTORS
4910 Massachusetts Ave. NW Suite 119, Washington, DC 20016
202-552-5600 - TheStokesGroup.com - 202-270-1081



We Sell Where You Want to Live

Sellers:

Brian Rogers, Jennifer Nicole Beemsterboer

Legal Information:

Lot:0002 **Block:**2017

Legal Address: 3231 Stephenson Place NW Washington, DC 20015

Contract Requirements:

- Copy of bank statements proving EMD and down payment funds
- Lender approval letter from a local, reputable lender
- GCAAR Sales Contract
- Jurisdictional Disclosure and Addendum to the Sale Contract for Washington, DC
- Addendum of Clauses (if needed)
- Complete Seller Disclosure Packet

Contract Preferences:

- Sellers will give great weight to a strong (at least 10%) Earnest Money Deposit to be held by **Federal Title and Escrow**
- Sellers will give great weight to offers with few, if any contingencies
- Sellers welcome home inspections, but they must be coordinated with listing agent
- Agent prefers to use **Federal Title and Escrow** as the settlement company (Neutral-not affiliated with any brokerage)

Federal Title & Escrow
5335 Wisconsin Ave. NW #700
Washington, DC 20015
www.federaltitle.com
202.362.1500

Listing Agent Information:

Anslie Stokes Milligan
McEneaney Associates, Inc.
4910 Massachusetts Ave. NW Suite 119

Office Code: MCE7
MRIS ID: 99699
License: DC SP98361041
Broker License # DC-94076





Jurisdictional Disclosure and Addendum to the Sales Contract for District of Columbia

(Required for the Listing Agreement and required for the GCAAR Sales Contract)

The Contract of Sale dated _____, between _____ (Buyer) and **Brian Rogers, Jennifer Nicole Beemsterboer** (Seller) for the purchase of the real property located at Address **3231 Stephenson Pl NW** Unit # _____ City **Washington** State **DC** Zip Code **20015-2457**, Parking Space(s) # _____ Storage Unit # _____ with the legal description of Lot **2** Block/Square **2017** Section _____ Subdivision/Project Name **Chevy Chase** Tax Account # **2017//0002** is hereby amended by the incorporation of this Addendum, which shall supersede any provisions to the contrary in this Contract.

PART I. SELLER DISCLOSURE - AT TIME OF LISTING:

The information contained in this Disclosure was completed by Seller, is based on the Seller's actual knowledge and belief, and is current as of the date hereof.

1. SELLER DISCLOSURE: Pursuant to D.C. Code §42-1301, Seller is exempt from property condition disclosure.

Yes No

2. DC SOIL DISCLOSURE REQUIREMENTS: The characteristic of the soil on the Property as described by the Soil Conservation Service of the United States Department of Agriculture in the Soil Survey of the District of Columbia published in 1976 and as shown on the Soil Maps of the District of Columbia at the back of that publication is **Glenelg-Urban Land**

Complex

For further information, Buyer can contact a soil testing laboratory, the District of Columbia Department of Environmental Services, or the Soil Conservation Service of the Department of Agriculture.

3. TENANCY: Seller represents that property is/was OR is not/was not subject to an existing residential lease or tenancy at the time Seller decided to sell. District of Columbia broadly defines a tenant as "a tenant, subtenant, lessee, sublessee, or other person entitled to the possession, occupancy, or the benefits of any rental unit within a housing accommodation." If applicable, the following required Addendum shall be incorporated into the Contract.

- Tenancy Addendum for District of Columbia (Single-Family Accommodation)
 Tenancy Addendum for District of Columbia (2 to 4 Rental Units)
 Multi-Unit or Non-Residential Addendum

4. CONDOMINIUM/CO-OPERATIVE/HOMEOWNERS ASSOCIATION: Seller represents that this Property is OR is not subject to a condominium, co-operative or homeowners association. If applicable, the following required addendum is attached:

- Condominium Seller Disclosure/Resale Addendum for District of Columbia,
 Co-operative Seller Disclosure/Resale Addendum for Maryland and District of Columbia, or HOA
 Seller Disclosure/Resale Addendum for District of Columbia

5. UNDERGROUND STORAGE TANK DISCLOSURE: (Applicable to single family home sales only)

In accordance with the requirements of the District of Columbia Underground Storage Tank Management Act of 1990 [D.C. Code §8-113.02(g)], as amended by the District of Columbia Underground Storage Tank Management Act of 1990 Amendment Act of 1992 (the "Act") and the regulations adopted thereunder by the District of Columbia (the "Regulations"), Seller hereby informs Buyer that Seller has no knowledge of the existence or removal during Seller's ownership of the Property of any underground storage tanks as that term is defined in the Act and the Regulations, except as follows: _____

6. PROPERTY TAXES: Future property taxes may change. To determine the applicable rate, see https://www.taxpayerservicecenter.com/RP_Search.jsp?search_type=Assessment. Additional information regarding property tax relief and tax credit information (tax reductions for seniors, homestead exemptions, property tax abatements and others) can be found at: <http://otr.cfo.dc.gov/page/real-property-tax-credits-frequently-asked-questions-faqs>.

DocuSigned by:

 Seller
 7/11/2022
 Date
Brian Rogers

DocuSigned by:

 Seller
 7/11/2022
 Date
Jennifer Nicole Beemsterboer

©2020 The Greater Capital Area Association of REALTORS®, Inc.

This Recommended Form is property of the Greater Capital Area Association of REALTORS®, Inc. and is for use by members only.

Previous editions of this Form should be destroyed.

PART II. RESALE ADDENDUM

The Contract of Sale dated _____, between Seller **Brian Rogers, Jennifer Nicole Beemsterboer** and Buyer _____ is hereby amended by the incorporation of Parts I and II herein, which shall supersede any provisions to the contrary in the Contract.

1. SELLER DISCLOSURE: Pursuant to D.C. Code §42-1302, prior to the submission of the offer, Buyer is entitled to a Seller's Disclosure Statement (if Seller is not exempt) and hereby acknowledges receipt of same. Yes No Not applicable

2. RECORDATION AND TRANSFER TAXES: Rates vary with the sales price and based on property type. See <http://otr.cfo.dc.gov/service/recorder-deeds-frequently-asked-questions-faqs>. In limited circumstances, an exemption from Recordation Tax may be available to Buyer, if Buyer meets the requirements for the Lower Income Home Ownership Exemption Program ("Tax Abatement Program"). See below for additional information. Unless otherwise negotiated, the following will apply:

- A. Real Property:** Recordation Tax will be paid by Buyer and Transfer Tax will be paid by Seller.
- B. Co-operatives:** The Economic Interest Deed Recordation Tax will be split equally between Buyer and Seller. There is no Transfer Tax for Co-operatives.
- C. Tax Abatement Program:** Additional information (including the required Application Form) for the Tax Abatement Program can be obtained at: http://otr.cfo.dc.gov/sites/default/files/dc/sites/otr/publication/attachments/sharp%40dc.gov_20140909_110358.pdf. If Buyer meets the requirements of this program, Buyer will be exempt from Recordation Tax. Additionally, Seller shall credit Buyer an amount equal to what would normally be paid to the District of Columbia as Seller's Transfer Tax to be applied towards Buyer's settlement costs. This credit shall be in addition to any other amount(s) Seller has agreed to pay under the provisions of this Contract. It is Buyer's responsibility to confirm with Lender, if applicable, that the entire credit provided for herein may be utilized. If Lender prohibits Seller from payment of any portion of this credit, then said credit shall be reduced to the amount allowed by Lender.
Buyer is OR is not applying for the Tax Abatement Program.
- D. First-Time Homebuyer Recordation Tax Credit:** Buyer is OR is not a District of Columbia First-Time Homebuyer and may be eligible for a reduced recordation tax. It is the Buyer's responsibility to confirm their eligibility (See <https://otr.cfo.dc.gov/node/1272871>).

3. The principals to the Contract mutually agree that the provisions hereof shall survive the execution and delivery of the Deed and shall not be merged herein.

Seller (<i>sign only after Buyer</i>)	Date	Buyer	Date
Brian Rogers			

Seller (<i>sign only after Buyer</i>)	Date	Buyer	Date
Jennifer Nicole Beemsterboer			



Inclusions/Exclusions Disclosure and Addendum

(Required for use with GCAAR Listing Agreement & Sales Contract)

PROPERTY ADDRESS: 3231 Stephenson PI NW, Washington, DC 20015-2457

PERSONAL PROPERTY AND FIXTURES: The Property includes the following personal property and fixtures, if existing: built-in heating and central air conditioning equipment, plumbing and lighting fixtures, sump pump, attic and exhaust fans, storm windows, storm doors, screens, installed wall-to-wall carpeting, central vacuum system (with all hoses and attachments); shutters; window shades, blinds, window treatment hardware, mounting brackets for electronics components, smoke, carbon monoxide, and heat detectors; TV antennas; exterior trees and shrubs; and awnings. Unless otherwise agreed to herein, all surface or wall mounted electronic components/devices **DO NOT CONVEY**. The items checked below convey. If more than one of an item conveys, the number of items is noted in the blank.

KITCHEN APPLIANCES

- Stove/Range
- Cooktop
- Wall Oven
- Microwave
- Refrigerator
- w/ Ice Maker
- Wine Refrigerator
- Dishwasher
- Disposer
- Separate Ice Maker
- Separate Freezer
- Trash Compactor

ELECTRONICS

- Security Cameras
- Alarm System
- Intercom
- Satellite Dishes
- Video Doorbell

RECREATION

- Hot Tub/Spa, Equipment, & Cover
- Pool Equipment & Cover
- Sauna
- Playground Equipment

LIVING AREAS

- 1** Fireplace Screen/Door
- Gas Log
- Ceiling Fans
- Window Fans
- Window Treatments

OTHER

- Storage Shed
- Garage Door Opener
- Garage Door Remote/Fob
- Back-up Generator
- Radon Remediation System
- Solar Panels (must include Solar Panel Seller Disclosure/Resale Addendum)

LAUNDRY

- Washer
- Dryer

WATER/HVAC

- Water Softener/Conditioner
- Electronic Air Filter
- Furnace Humidifier
- Window A/C Units

THE FOLLOWING ITEMS WILL BE REMOVED AND NOT REPLACED: _____

LEASED ITEMS, LEASED SYSTEMS & SERVICE CONTRACTS: Leased items/systems or service contracts, including but not limited to: appliances, fuel tanks, water treatment systems, lawn contracts, pest control contracts, security system and/or monitoring, and satellite contracts **DO NOT CONVEY** unless disclosed here: _____

CERTIFICATION: Seller certifies that Seller has completed this checklist disclosing what conveys with the Property.

DocuSigned by: Seller Brian Rogers	7/11/2022 Date	DocuSigned by: Seller Jennifer Nicole Beemsterboer	7/11/2022 Date
--	-------------------	--	-------------------

ACKNOWLEDGEMENT AND INCORPORATION INTO CONTRACT: (Completed only after presentation to the Buyer)

The Contract of Sale dated _____ between Seller **Brian Rogers, Jennifer Nicole Beemsterboer** and Buyer _____ for the Property referenced above is hereby amended by the incorporation of this Addendum.

Seller (sign only after Buyer)	Date	Buyer	Date
Brian Rogers			
Seller (sign only after Buyer)	Date	Buyer	Date
Jennifer Nicole Beemsterboer			

LEAD-BASED PAINT DISCLOSURE FORM FOR DC REAL ESTATE SALES



Purpose: Inform potential homebuyers of the presence of lead-based paint and related hazards at this property.

This form is required for properties built before 1978. This form must be used in addition to the Federal Lead Disclosure form because the DC Law provides additional protections for the purchaser.

- Housing built before 1978 is presumed to contain lead-based paint.
- Lead from paint, paint chips, and dust may pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women.
- Lead poisoning in young children may produce permanent neurological damage, learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory.
- Lead poisoning poses a particular risk to developing fetuses and pregnant women.
DC Law requires the buyer to have this information **before** they decide to rent or purchase the property.

Are you a POTENTIAL BUYER?

Review this page carefully before following instructions on page two.

Are you a PROPERTY OWNER?

You will need the following information to complete this form:

- Copies of any lead-based paint, assessments, or surveys related to the property.
- The latest version of the EPA Protect Your Family From Lead in Your Home pamphlet.
- Knowledge about lead-contaminated dust/soil and condition of the paint on the property.
- Knowledge about any lead-related legal actions taken against the property.

Property owners and managers: keep the signed original of this form on record for at least 6 years from the date of the most recent signature, as you may be audited by the DC Department of Energy and Environment.

What to look for inside the property or in the property's common areas:

- Peeling, chipping, chalking, cracking, or damaged paint.
- Lead-based paint on windows, doors, stairs, railings, banisters, porches, or other high-wear surfaces that children might chew.
- Lead that is present in bare soil.
- Lead dust that forms when lead-based paint is scraped, sanded, or heated, or when painted surfaces with lead in them bump or rub together.
- Surfaces with lead paint chips/dust, or settled dust that reenters the air through vacuuming or sweeping.

For more information see The District of Columbia Lead-Hazard Prevention and Elimination Act of 2008, D.C. Official Code § 8-231.01 et seq., and the Federal Lead Warning Statement, 24 CFR Part 35 and 745. Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of known lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention. <http://bit.ly/federallead>.

If you need help in your language, please call 202-535-2600. | በአማርኛ እርዳታ ከፈለጉ በ 202-535-2600 ይደውሉ። | Si necesita ayuda en Español, por favor llame al 202-535-2600. | Si vous avez besoin d'aide en Français appelez-le 202-535-2600. | 如果您需要中文服務，請致電 202-535-2600 | 한국어로 도움이 필요합니까? 무료 한국어통역: 202-535-2600 | Nếu quý vị cần giúp đỡ bằng tiếng Việt, xin gọi 202-535-2600.

IF YOU ARE:

YOU NEED TO:

The property owner	<ul style="list-style-type: none"> ■ Complete Sections A and B. ■ Provide a copy to the buyer.
The potential buyer	<ul style="list-style-type: none"> ■ Carefully review Section B. ■ Sign Section C.



SECTION A: PROPERTY OWNER'S SIGNATUREProperty Address: **3231 Stephenson PI NW**

Unit:


Washington, DC

Zip: 20015-2457

I am the owner of this property and will truthfully give the answers to the following questions about lead-based paint/hazards in or around this property, and lead reports.

Owner Name: **Brian Rogers**Signature:  DocuSigned by:
BRIAN ROGERS

7/11/2022

Owner Name: **Jennifer Nicole Beemsterboer**Signature:  DocuSigned by:
J Nicole Beemsterboer

7/11/2022

SECTION B: INFORMATION ABOUT LEAD-BASED PAINT IN THIS PROPERTY**Lead-based paint is assumed to be present in properties built before 1978. To the best of your knowledge, is there lead-based paint inside or around the property, including common area(s)?** Yes, in the following location(s): _____ No, I am not aware of any lead-based paint, but because the property was built before 1978 it is assumed to be present.**To the best of your knowledge, is there peeling or chipping paint, lead-contaminated dust/soil, or other lead-based paint hazards inside or around the property?** No Yes, in the following locations(s): _____
*For more space attach a summary***Does DC Government have any pending actions related to lead-based paint for this property?***Check all that apply*

- A notice of violation
 A notice of lead-based paint hazards
 An administrative order to eliminate lead-based paint hazards
 Other notices or orders related to lead-based paint. **Please list:** _____
 There are no pending actions related to lead-based paint at this property.

Are there any reports or documents about lead-based paint or lead-based paint hazards at this property (including in bare soil and sheds, garages, common area(s) or other appurtenances)?*This includes reports or documents provided to you by a previous or current owner, tenant, property manager, DC Government agency, or contractor.* No Yes **and** I understand I must provide a copy of those documents to the buyer if they ask.**SECTION C: BUYER'S ACKNOWLEDGEMENT****I was provided this form and the *Protect Your Family from Lead in Your Home* pamphlet before I signed a lease or purchase agreement.** Yes No, I have already signed a lease or purchase agreement.**I understand I have the right to ask the owner or manager for any reports or documents about lead-based paint or lead-based paint hazards at this property (including on bare soil and sheds, garages, or other appurtenances) .**

Name:

Signature:

Date:

Name:

Signature:

Date:





Lead Paint -Federal Disclosure of Lead-Based Paint and Lead-Based Paint Hazards for SALES

(Required for the SALE of all properties in the U.S. with any existing part built prior to 1978)

PROPERTY ADDRESS: 3231 Stephenson Pl NW, Washington, DC 20015-2457

There are parts of the property that still exist that were built prior to 1978 OR No parts of the property were built prior to 1978 OR Construction dates are unknown. If any part of the property was constructed prior to 1978 or if construction dates are unknown, this disclosure is required. If the entire property was built in 1978 or later, this disclosure is not required.

LEAD WARNING STATEMENT FOR BUYERS: Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

SELLER'S DISCLOSURE:

(A) Presence of lead-based paint and/or lead-based paint hazards

Known lead-based paint and/or lead-based paint hazards are present in the housing (explain): _____ OR

Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(B) Records and reports available to the Seller:

Seller has provided Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below): _____ OR

Seller has no reports or records pertaining to lead - based paint and/or lead-based paint hazards in the housing.

BUYER'S ACKNOWLEDGMENT:

(Buyer to initial all lines as appropriate)

(C) _____ / _____ Buyer has read the Lead Warning Statement above.

(D) _____ / _____ Buyer has read Paragraph B and acknowledges receipt of copies of any information listed therein, if any.

(E) _____ / _____ Buyer has received the pamphlet Protect Your Family From Lead in Your Home (required).

(F) _____ / _____ Buyer has (check one below):

Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; OR

Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

AGENT'S ACKNOWLEDGMENT: (Agent to initial)

(G) _____^{ds} Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852d and is aware of his/her responsibility to ensure compliance.

CERTIFICATION OF ACCURACY: The following parties have reviewed the information above and certify, to the best of their knowledge, that the information provided by the signatory is true and accurate.

DocuSigned by: _____ 7/11/2022
Seller _____ Date
Brian Rogers

Buyer _____ Date

DocuSigned by: _____ 7/11/2022
Seller _____ Date
Jennifer Nicole Beemsterboer

Buyer _____ Date

DocuSigned by: _____ 7/11/2022
Agent for Seller, if any _____ Date
Anslie Stokes

Agent for Buyer, if any _____ Date

GCAAR # 907A: Federal Lead Paint Sales Disclosure -MC & DC 2016, The Greater Capital Area Association of REALTORS®, Inc. 2/2016
This Recommended Form is the property of the Greater Capital Area Association of REALTORS®, Inc. and is for use by REALTOR members only. Previous editions of this Form should be destroyed.



Seller's Disclosure Statement

Instructions

These Instructions are to assist the Seller in completing the required Seller's Disclosure Statement in order to comply with the District of Columbia Residential Real Property Seller Disclosure Act.

1. Who must complete the Seller's Disclosure Statement?

The Seller must complete the Statement him or herself (not the broker, management company, condominium association, cooperative association, or homeowners association).

2. The Seller must provide the Seller's Disclosure Statement to the Purchaser for the following transactions:

The Act applies to the following types of transfers or sales of District of Columbia real estate:

- a. Where the property consists of one to four residential dwelling units, and,
- b. The transactions a sale, exchange, installment land contract, lease with an option to purchase, or any other option to purchase, and,
- c. The purchaser expresses, in writing, an interest to reside in the property to be transferred.

3. The Seller does not need to complete the Seller's Disclosure Statement for the following transactions:

- a. Court ordered transfers;
- b. Transfers to a mortgagee by a mortgagor in default;
- c. Transfers by sale under a power of sale in a deed of trust or mortgage or any foreclosure sale under a decree of foreclosure or deed in lieu of foreclosures;
- d. Transfers by a non-occupant fiduciary administering a decedent's estate, guardianship, conservatorship or trust;
- e. Transfers between co-tenants;
- f. Transfers made to the transferor's spouse, parent, grandparent, child, grandchild or sibling (or any combinations of the foregoing);
- g. Transfer between spouses under a divorce judgment incidental to such a judgment;
- h. Transfers or exchanges to or from any governmental entity; and
- i. Transfers made by a person of newly constructed residential property that has not been inhabited.

4. When does the Seller's Disclosure Statement have to be provided to the Purchaser?

In a sale, before or at the time the prospective transferee executes a purchase agreement with the transferor. In an installment sales contract (where a binding purchase contract has not been executed), or in the case of a lease with no option to purchase, before or at the time the prospective transferee executes the installment sales contract or lease with the transferor.

5. What information must the Seller disclose?

Answer ALL questions on the Seller's Disclosure Statement. If some items do not apply to your property, check "N/A" (not applicable). If you do not know the facts, check "UNKNOWN". Report actually known conditions referred to in the questions. Each disclosure must be made in "good faith" (honesty in fact in the making of the disclosure). Attach additional pages with your signature if additional space is required.

The Seller of a condominium unit, cooperative unit, or a lot in a homeowners association, is to provide information only as to the Seller's unit or lot, and not as to any common elements, common areas or other areas outside of the unit or lot.

6. What is the remedy if the Seller does not provide the Seller's Disclosure Statement to the Transferee?

If the Seller's Disclosure Statement is delivered after the purchaser executes the purchase agreement, installment sales contract or lease with an option to purchase, the purchaser may terminate the transaction by written notice to the seller not more than five (5) calendar days after receipt of the Seller's Disclosure Statement by the purchaser, and the deposit must be returned to the purchaser. The right to terminate is waived if not exercised before the earliest of:

- a. the making of an application for a mortgage loan (if the lender discloses that the right to rescind terminates on submission of the application); or
- b. settlement or date of occupancy in the case of a sale; or
- c. occupancy in the case of a lease with an option to purchase.

7. If the Seller finds out different information after providing the Seller's Disclosure Statement to the Purchaser, how does this impact a ratified contract?

If information becomes inaccurate after delivery of the disclosure form, the inaccuracy shall not be grounds for terminating the transaction.

8. How must a Seller deliver the Seller's Disclosure Statement to the Transferee?

The Seller's Disclosure Statement must be delivered by personal delivery, facsimile delivery, or by registered mail to the transferee. Execution by the transferor or of a facsimile is considered execution of the original.

SELLER'S PROPERTY CONDITION STATEMENT For Washington, DC

Purpose of Statement: This Statement is a disclosure by the Seller of the defects or information actually known by the Seller concerning the property, in compliance with the District of Columbia Residential Real Property Seller Disclosure Act. Unless otherwise advised, the Seller does not possess an expertise in construction, architecture, engineering, or any other specific area related to the construction of the improvements on the property or the land. Also, unless otherwise advised, the Seller has not conducted any inspection of generally inaccessible areas such as the foundation or roof. THIS STATEMENT IS NOT A WARRANTY OF ANY KIND BY THE SELLER OR BY ANY AGENT REPRESENTING THE SELLER IN THIS TRANSACTION, AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN.

Seller Disclosure: The Seller discloses the following information with the knowledge that, even though this is not a warranty, the Seller specifically makes the following statements based on the seller's actual knowledge at the signing of this document. Upon receiving this statement from the Seller, the Seller's agent is required to provide a copy to the Buyer or the agent of the Buyer. The Seller authorizes its agent (s) to provide a copy of this statement to any prospective buyer or agent of such prospective buyer in connection with any actual or anticipated sale of property. The following are statements made solely by the Seller and are not the statements of the Seller's agent (s), if any. This information is a disclosure only and is not intended to be a part of any contract between Buyer and Seller.

The seller(s) completing this disclosure statement have owned the property from:	06/09/2017	To:	Present
---	------------	------------	---------

The seller(s) completing this disclosure have occupied the residence from:	06/09/2017	To:	Present
---	------------	------------	---------

3231 Stephenson PI NW
Property Address: Washington, DC 20015-2457

The property is included in: **Condominium Association** **Cooperative** **Homeowners association with mandatory participation and fee**

If this is a sale of a condominium unit or cooperative unit, or in a homeowners association, this disclosure form provides information only as to the unit (as defined in the governing documents of the association) or lot (as defined in the covenants applicable to the lot), and not as to any common elements, common areas or other areas outside of the unit or lot.

A. Structural Conditions

1. Roof	<input type="checkbox"/> Roof is a common element maintained by condominium or cooperative (if you check this box, no further roof disclosure required; go to section B)
	Age of Roof: <input type="checkbox"/> 0-5 years <input checked="" type="checkbox"/> 5-10 years <input type="checkbox"/> 10-15 years <input type="checkbox"/> 15+years <input type="checkbox"/> Unknown
	Does the seller have actual knowledge of any current leaks or evidence of moisture from roof? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any existing fire retardant treated plywood? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<i>If yes, please provide comments:</i>

2. Fireplace/ Chimney(s)	Does the seller have actual knowledge of any defects in the working order of the fire places? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> No Fireplace(s)
	<i>If yes, please provide comments:</i>
	Does the seller know when the chimney(s) and/or flue were last inspected and/or serviced? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> No chimneys or flues
	<i>If yes, when were they last serviced or inspected?</i>

3. Basement	Does the seller have actual knowledge of any current leaks or evidence of moisture in the basement? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
	<i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any structural defects in the foundation? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable
	<i>If yes, please provide comments:</i>

4. Walls and Floors	Does the seller have actual knowledge of any structural defects in walls or floors? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, please provide comments:
5. Insulation	Does the seller have actual knowledge of presence of urea formaldehyde foam insulation? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, please provide comments:
6. Windows	Does the seller have actual knowledge of any windows not in normal working order? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, please provide comments:

B. Operating Condition of Property Systems

1. Heating System	<input type="checkbox"/> Heating system is a common element maintained by condominium or cooperative (if you check this box, no further disclosure on heating system required; go to section B.1.)
	Type of System: <input type="checkbox"/> Forced Air <input checked="" type="checkbox"/> Radiator <input type="checkbox"/> Heat Pump <input checked="" type="checkbox"/> Electric baseboard <input type="checkbox"/> Other
	Heating Fuel: <input checked="" type="checkbox"/> Natural Gas <input type="checkbox"/> Electric <input type="checkbox"/> Oil <input checked="" type="checkbox"/> Other Electric baseboard and Floor heat in the basement only.
	Age of system: <input type="checkbox"/> 0-5 years <input type="checkbox"/> 5-10 years <input type="checkbox"/> 10-15 years <input checked="" type="checkbox"/> Unknown The basement heating system is 5-10 years old, the age of the heating system in the rest of the home is unknown
	Does the heating system include a humidifier? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	Does the heating system include an electronic air filter? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	Does the seller have actual knowledge that heat is not supplied to any finished rooms? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any defects in the heating system? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	If installed, does the seller have actual knowledge of any defects with the humidifier and electronic filter? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i>

2. Air Conditioning System	<input type="checkbox"/> Air conditioning is a common element maintained by condominium or cooperative (if you check this box, no further disclosure on the air conditioning system is required; go to section B.3.)
	Type of system: <input checked="" type="checkbox"/> Central AC <input type="checkbox"/> Heat Pump <input type="checkbox"/> Window/wall units <input type="checkbox"/> Other <input type="checkbox"/> Not Applicable
	AC Fuel: <input type="checkbox"/> Natural Gas <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Oil <input type="checkbox"/> Other
	Age of System: <input type="checkbox"/> 0-5 years <input type="checkbox"/> 5-10 years <input checked="" type="checkbox"/> 10-15 years <input type="checkbox"/> Unknown
	Does the heating system include a humidifier? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	Does the heating system include an electronic air filter? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	If central AC, does the seller have actual knowledge that cooling is not supplied to any finished rooms? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i> NO A/C in basement.
	Does the seller have actual knowledge of any problems or defects in the cooling system? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i>

3. Plumbing System	Type of material: (check all that apply) <input type="checkbox"/> Copper <input type="checkbox"/> Lead <input type="checkbox"/> Galvanized iron <input type="checkbox"/> Brass <input type="checkbox"/> PVC <input type="checkbox"/> Plastic polybutelene <input checked="" type="checkbox"/> Unknown
	Water Supply: <input checked="" type="checkbox"/> Public <input type="checkbox"/> Well
	Sewage Disposal Treatment: <input checked="" type="checkbox"/> Public <input type="checkbox"/> Septic tank <input type="checkbox"/> Cesspool <input type="checkbox"/> Onsite treatment
	Water Heater Fuel: <input checked="" type="checkbox"/> Natural Gas <input type="checkbox"/> Electric <input type="checkbox"/> Oil <input type="checkbox"/> Other
	Does the seller have actual knowledge of any defects with the plumbing system? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
4. Water System	Does the seller have actual knowledge of the results of any lead tests conducted on the water supply of the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please test results:</i>
	Does the seller have actual knowledge that the property has been included on the DC Water service line map website (https://www.dewater.com/leadmap , as of August 2019) as a property with a lead water service line on the private property or in public space? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any lead-bearing plumbing, including the water service line servicing the property? <input type="checkbox"/> Yes, there is a lead service line servicing the property <input type="checkbox"/> Yes, there is lead bearing plumbing on the property <input checked="" type="checkbox"/> No <i>Comments:</i>
	If there is a lead service line servicing the property, does the seller have actual knowledge that any portion of the lead water service line has been replaced? (Note: This applies to portions of the service line on private property and in public space). <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not applicable <i>If yes, please provide date(s) of replacement(s):</i>
	Does the seller have actual knowledge of any defects in the electrical system, including the electrical fuses, circuit breakers, outlets, or wiring? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please test results:</i>

C. Appliances and Fixtures

Does the seller have actual knowledge of any **defects** with the following appliances?

- | | | | |
|------------------------------|------------------------------|--|--|
| Range/Oven | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |
| Dishwasher | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |
| Refrigerator | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |
| Rangehood/fan | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Microwave oven | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Garbage Disposal | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |
| Sump Pump | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |
| Trash compactor | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| TV antenna/controls | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Central vacuum | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Ceiling fan | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Attic fan | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Sauna/Hot tub | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Pool heater & equip | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Security System | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Intercom System | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Garage door opener | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| & remote controls | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Lawn sprinkler system | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Water treatment system | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Not Applicable |
| Smoke Detectors | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |
| Carbon Monoxide detectors | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |
| Other Fixtures or Appliances | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Not Applicable |

If yes to any of the above, please describe the defects:


D. Exterior/Environmental Issues

1. Exterior Drainage	Does the seller have actual knowledge of any problem with drainage on the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
2. Damage to Property	Does the seller have actual knowledge whether the property has previously been damaged by: Fire: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Wind: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Flooding: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>Prior to us buying the home, a tree from the backyard fell on the house during the "derecho" storm in 2012 and damaged the roof. The resulting roof and water damage was repaired.</i> <i>If yes, please provide comments:</i>
3. Wood destroying insects or rodents?	Does the seller have actual knowledge of any infestation or treatment for infestations? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any prior damage or repairs due to a previous infestation? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>

4. Other Issues	Does the seller have actual knowledge of any problem with drainage on the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any substances, materials or environmental hazards (including but not limited to asbestos, radon gas, lead based paint, underground storage tanks, formaldehyde, contaminated soil, or other contamination) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any zoning violations, nonconforming uses, violation of building restrictions or setback requirements, or any recorded or unrecorded easement, except for utilities, on or affecting the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge that this property is a D.C. Landmark included in a designated historic district or is designated a historic property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Has the property been cited for a violation of any historic preservation law or regulation during your ownership? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge if a facade easement or a conservation easement has been placed on the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge that the property has received a vacant or blighted building exemption? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>

Certification and Signature

The seller(s) certifies that the information in this statement is true and correct to the best of their knowledge as known on the date of signature.

DocuSigned by:

 Seller's Signature
Brian Rogers

7/26/2022
 Date

DocuSigned by:

 Seller's Signature
Jennifer Nicole Beemsterboer

7/26/2022
 Date

Buyer(s) have read and acknowledge receipt of this statement and acknowledge that this statement is made based upon the seller's actual knowledge as of the above date. This disclosure is not a substitute for any inspections or warranties which the buyer(s) may wish to obtain. This disclosure is NOT a statement, representation, or warranty by any of the seller's agents or any sub-agents as to the presence or absence of any condition, defect or malfunction or as to the nature of any condition, defect or malfunction.

 Buyer's Signature

 Date

 Buyer's Signature

 Date

THIS NOTICE IS REQUIRED BY LAW AND IS NOT A CONTRACT.
THIS DISCLOSURE DOES NOT CREATE A BROKERAGE RELATIONSHIP.

Disclosure of Brokerage Relationship District of Columbia

Prior to providing specific real estate assistance, District of Columbia law requires that a licensee disclose to any party who the licensee does NOT represent the identity of the party to the proposed transaction which the licensee does represent. Even though a licensee may not represent you, that licensee must still treat you honestly in the transaction.

We, the undersigned Buyer(s)/Tenant(s) or Seller(s)/Landlord(s) acknowledge receipt of this Disclosure, and understand we are **NOT** represented by the licensee identified below.

Ansle Stokes SP98361041
(Licensee & License #)

and McEneaney Associates, Inc.
(Brokerage Firm)

The licensee and brokerage firm named above represent the following party in the real estate transaction:

- Seller(s)/Landlord(s)** (The licensee has entered into a written listing agreement with the seller(s) or landlord(s) or is acting as a sub-agent of the listing broker.)
- Buyer(s)/Tenant(s)** (The licensee has entered into a written agency agreement with the buyer/tenant.)
- Designated Agent of the** **Buyer(s)/Tenant(s)** or **Seller(s)/Landlord(s)**
(Both the buyers and sellers have previously consented to "Designated Agency", and the licensee listed above is indicating the parties represented.)

Acknowledged Date

Acknowledged Date

Name of Person(s): _____
I certify on this date that I, the real estate agent, have delivered a copy of this disclosure to the person(s) identified above.

Signed (Licensee) Date

Previous editions of this form should be destroyed.



Protect Your Family From Lead in Your Home



September 2013

Are You Planning to Buy or Rent a Home Built Before 1978?

Did you know that many homes built before 1978 have **lead-based paint**? Lead from paint, chips, and dust can pose serious health hazards.

Read this entire brochure to learn:

- How lead gets into the body
- About health effects of lead
- What you can do to protect your family
- Where to go for more information

Before renting or buying a pre-1978 home or apartment, federal law requires:

- Sellers must disclose known information on lead-based paint or lead-based paint hazards before selling a house.
- Real estate sales contracts must include a specific warning statement about lead-based paint. Buyers have up to 10 days to check for lead.
- Landlords must disclose known information on lead-based paint and lead-based paint hazards before leases take effect. Leases must include a specific warning statement about lead-based paint.

If undertaking renovations, repairs, or painting (RRP) projects in your pre-1978 home or apartment:

- Read EPA's pamphlet, *The Lead-Safe Certified Guide to Renovate Right*, to learn about the lead-safe work practices that contractors are required to follow when working in your home (see page 12).



Simple Steps to Protect Your Family from Lead Hazards

If you think your home has lead-based paint:

- Don't try to remove lead-based paint yourself.
- Always keep painted surfaces in good condition to minimize deterioration.
- Get your home checked for lead hazards. Find a certified inspector or risk assessor at epa.gov/lead.
- Talk to your landlord about fixing surfaces with peeling or chipping paint.
- Regularly clean floors, window sills, and other surfaces.
- Take precautions to avoid exposure to lead dust when remodeling.
- When renovating, repairing, or painting, hire only EPA- or state-approved Lead-Safe certified renovation firms.
- Before buying, renting, or renovating your home, have it checked for lead-based paint.
- Consult your health care provider about testing your children for lead. Your pediatrician can check for lead with a simple blood test.
- Wash children's hands, bottles, pacifiers, and toys often.
- Make sure children avoid fatty (or high fat) foods and eat nutritious meals high in iron and calcium.
- Remove shoes or wipe soil off shoes before entering your house.

Lead Gets into the Body in Many Ways

Adults and children can get lead into their bodies if they:

- Breathe in lead dust (especially during activities such as renovations, repairs, or painting that disturb painted surfaces).
- Swallow lead dust that has settled on food, food preparation surfaces, and other places.
- Eat paint chips or soil that contains lead.

Lead is especially dangerous to children under the age of 6.

- At this age, children's brains and nervous systems are more sensitive to the damaging effects of lead.
- Children's growing bodies absorb more lead.
- Babies and young children often put their hands and other objects in their mouths. These objects can have lead dust on them.



Women of childbearing age should know that lead is dangerous to a developing fetus.


- Women with a high lead level in their system before or during pregnancy risk exposing the fetus to lead through the placenta during fetal development.

Health Effects of Lead

Lead affects the body in many ways. It is important to know that even exposure to low levels of lead can severely harm children.

In children, exposure to lead can cause:

- Nervous system and kidney damage
- Learning disabilities, attention deficit disorder, and decreased intelligence
- Speech, language, and behavior problems
- Poor muscle coordination
- Decreased muscle and bone growth
- Hearing damage



While low-lead exposure is most common, exposure to high amounts of lead can have devastating effects on children, including seizures, unconsciousness, and, in some cases, death.

Although children are especially susceptible to lead exposure, lead can be dangerous for adults, too.

In adults, exposure to lead can cause:

- Harm to a developing fetus
- Increased chance of high blood pressure during pregnancy
- Fertility problems (in men and women)
- High blood pressure
- Digestive problems
- Nerve disorders
- Memory and concentration problems
- Muscle and joint pain

Check Your Family for Lead

Get your children and home tested if you think your home has lead.

Children's blood lead levels tend to increase rapidly from 6 to 12 months of age, and tend to peak at 18 to 24 months of age.

Consult your doctor for advice on testing your children. A simple blood test can detect lead. Blood lead tests are usually recommended for:

- Children at ages 1 and 2
- Children or other family members who have been exposed to high levels of lead
- Children who should be tested under your state or local health screening plan

Your doctor can explain what the test results mean and if more testing will be needed.

Where Lead-Based Paint Is Found

In general, the older your home or childcare facility, the more likely it has lead-based paint.¹

Many homes, including private, federally-assisted, federally-owned housing, and childcare facilities built before 1978 have lead-based paint. In 1978, the federal government banned consumer uses of lead-containing paint.²

Learn how to determine if paint is lead-based paint on page 7.

Lead can be found:

- In homes and childcare facilities in the city, country, or suburbs,
- In private and public single-family homes and apartments,
- On surfaces inside and outside of the house, and
- In soil around a home. (Soil can pick up lead from exterior paint or other sources, such as past use of leaded gas in cars.)

Learn more about where lead is found at epa.gov/lead.

¹ "Lead-based paint" is currently defined by the federal government as paint with lead levels greater than or equal to 1.0 milligram per square centimeter (mg/cm), or more than 0.5% by weight.

² "Lead-containing paint" is currently defined by the federal government as lead in new dried paint in excess of 90 parts per million (ppm) by weight.

Identifying Lead-Based Paint and Lead-Based Paint Hazards

Deteriorating lead-based paint (peeling, chipping, chalking, cracking, or damaged paint) is a hazard and needs immediate attention. **Lead-based paint** may also be a hazard when found on surfaces that children can chew or that get a lot of wear and tear, such as:

- On windows and window sills
- Doors and door frames
- Stairs, railings, banisters, and porches

Lead-based paint is usually not a hazard if it is in good condition and if it is not on an impact or friction surface like a window.

Lead dust can form when lead-based paint is scraped, sanded, or heated. Lead dust also forms when painted surfaces containing lead bump or rub together. Lead paint chips and dust can get on surfaces and objects that people touch. Settled lead dust can reenter the air when the home is vacuumed or swept, or when people walk through it. EPA currently defines the following levels of lead in dust as hazardous:

- 40 micrograms per square foot ($\mu\text{g}/\text{ft}^2$) and higher for floors, including carpeted floors
- 250 $\mu\text{g}/\text{ft}^2$ and higher for interior window sills

Lead in soil can be a hazard when children play in bare soil or when people bring soil into the house on their shoes. EPA currently defines the following levels of lead in soil as hazardous:

- 400 parts per million (ppm) and higher in play areas of bare soil
- 1,200 ppm (average) and higher in bare soil in the remainder of the yard

Remember, lead from paint chips—which you can see—and lead dust—which you may not be able to see—both can be hazards.

The only way to find out if paint, dust, or soil lead hazards exist is to test for them. The next page describes how to do this.

Checking Your Home for Lead

You can get your home tested for lead in several different ways:

- A lead-based paint **inspection** tells you if your home has lead-based paint and where it is located. It won't tell you whether your home currently has lead hazards. A trained and certified testing professional, called a lead-based paint inspector, will conduct a paint inspection using methods, such as:

- Portable x-ray fluorescence (XRF) machine
- Lab tests of paint samples

- A **risk assessment** tells you if your home currently has any lead hazards from lead in paint, dust, or soil. It also tells you what actions to take to address any hazards. A trained and certified testing professional, called a risk assessor, will:

- Sample paint that is deteriorated on doors, windows, floors, stairs, and walls
- Sample dust near painted surfaces and sample bare soil in the yard
- Get lab tests of paint, dust, and soil samples

- A combination inspection and risk assessment tells you if your home has any lead-based paint and if your home has any lead hazards, and where both are located.

Be sure to read the report provided to you after your inspection or risk assessment is completed, and ask questions about anything you do not understand.



Checking Your Home for Lead, continued

In preparing for renovation, repair, or painting work in a pre-1978 home, Lead-Safe Certified renovators (see page 12) may:

- Take paint chip samples to determine if lead-based paint is present in the area planned for renovation and send them to an EPA-recognized lead lab for analysis. In housing receiving federal assistance, the person collecting these samples must be a certified lead-based paint inspector or risk assessor
- Use EPA-recognized tests kits to determine if lead-based paint is absent (but not in housing receiving federal assistance)
- Presume that lead-based paint is present and use lead-safe work practices

There are state and federal programs in place to ensure that testing is done safely, reliably, and effectively. Contact your state or local agency for more information, visit epa.gov/lead, or call **1-800-424-LEAD (5323)** for a list of contacts in your area.³

³ Hearing- or speech-challenged individuals may access this number through TTY by calling the Federal Relay Service at 1-800-877-8399.

What You Can Do Now to Protect Your Family

If you suspect that your house has lead-based paint hazards, you can take some immediate steps to reduce your family's risk:

- If you rent, notify your landlord of peeling or chipping paint.
- Keep painted surfaces clean and free of dust. Clean floors, window frames, window sills, and other surfaces weekly. Use a mop or sponge with warm water and a general all-purpose cleaner. (Remember: never mix ammonia and bleach products together because they can form a dangerous gas.)
- Carefully clean up paint chips immediately without creating dust.
- Thoroughly rinse sponges and mop heads often during cleaning of dirty or dusty areas, and again afterward.
- Wash your hands and your children's hands often, especially before they eat and before nap time and bed time.
- Keep play areas clean. Wash bottles, pacifiers, toys, and stuffed animals regularly.
- Keep children from chewing window sills or other painted surfaces, or eating soil.
- When renovating, repairing, or painting, hire only EPA- or state-approved Lead-Safe Certified renovation firms (see page 12).
- Clean or remove shoes before entering your home to avoid tracking in lead from soil.
- Make sure children avoid fatty (or high fat) foods and eat nutritious meals high in iron and calcium. Children with good diets absorb less lead.

Reducing Lead Hazards

Disturbing lead-based paint or removing lead improperly can increase the hazard to your family by spreading even more lead dust around the house.



- In addition to day-to-day cleaning and good nutrition, you can **temporarily** reduce lead-based paint hazards by taking actions, such as repairing damaged painted surfaces and planting grass to cover lead-contaminated soil. These actions are not permanent solutions and will need ongoing attention.
- You can minimize exposure to lead when renovating, repairing, or painting by hiring an EPA- or state-certified renovator who is trained in the use of lead-safe work practices. If you are a do-it-yourselfer, learn how to use lead-safe work practices in your home.
- To remove lead hazards permanently, you should hire a certified lead abatement contractor. Abatement (or permanent hazard elimination) methods include removing, sealing, or enclosing lead-based paint with special materials. Just painting over the hazard with regular paint is not permanent control.

Always use a certified contractor who is trained to address lead hazards safely.

- Hire a Lead-Safe Certified firm (see page 12) to perform renovation, repair, or painting (RRP) projects that disturb painted surfaces.
- To correct lead hazards permanently, hire a certified lead abatement professional. This will ensure your contractor knows how to work safely and has the proper equipment to clean up thoroughly.

Certified contractors will employ qualified workers and follow strict safety rules as set by their state or by the federal government.

Reducing Lead Hazards, continued

If your home has had lead abatement work done or if the housing is receiving federal assistance, once the work is completed, dust cleanup activities must be conducted until clearance testing indicates that lead dust levels are below the following levels:

- 40 micrograms per square foot ($\mu\text{g}/\text{ft}^2$) for floors, including carpeted floors
- 250 $\mu\text{g}/\text{ft}^2$ for interior windows sills
- 400 $\mu\text{g}/\text{ft}^2$ for window troughs

For help in locating certified lead abatement professionals in your area, call your state or local agency (see pages 14 and 15), or visit epa.gov/lead, or call 1-800-424-LEAD.

Renovating, Remodeling, or Repairing (RRP) a Home with Lead-Based Paint

If you hire a contractor to conduct renovation, repair, or painting (RRP) projects in your pre-1978 home or childcare facility (such as pre-school and kindergarten), your contractor must:

- Be a Lead-Safe Certified firm approved by EPA or an EPA-authorized state program
- Use qualified trained individuals (Lead-Safe Certified renovators) who follow specific lead-safe work practices to prevent lead contamination
- Provide a copy of EPA's lead hazard information document, *The Lead-Safe Certified Guide to Renovate Right*



RRP contractors working in pre-1978 homes and childcare facilities must follow lead-safe work practices that:

- **Contain the work area.** The area must be contained so that dust and debris do not escape from the work area. Warning signs must be put up, and plastic or other impermeable material and tape must be used.
- **Avoid renovation methods that generate large amounts of lead-contaminated dust.** Some methods generate so much lead-contaminated dust that their use is prohibited. They are:
 - Open-flame burning or torching
 - Sanding, grinding, planing, needle gunning, or blasting with power tools and equipment not equipped with a shroud and HEPA vacuum attachment and
 - Using a heat gun at temperatures greater than 1100°F
- **Clean up thoroughly.** The work area should be cleaned up daily. When all the work is done, the area must be cleaned up using special cleaning methods.
- **Dispose of waste properly.** Collect and seal waste in a heavy duty bag or sheeting. When transported, ensure that waste is contained to prevent release of dust and debris.

To learn more about EPA's requirements for RRP projects visit epa.gov/getleadsafe, or read *The Lead-Safe Certified Guide to Renovate Right*.

Other Sources of Lead

While paint, dust, and soil are the most common sources of lead, other lead sources also exist:

- **Drinking water.** Your home might have plumbing with lead or lead solder. You cannot see, smell, or taste lead, and boiling your water will not get rid of lead. If you think your plumbing might contain lead:

- Use only cold water for drinking and cooking.
- Run water for 15 to 30 seconds before drinking it, especially if you have not used your water for a few hours.

Call your local health department or water supplier to find out about testing your water, or visit epa.gov/lead for EPA's lead in drinking water information.

- **Lead smelters** or other industries that release lead into the air.
- **Your job.** If you work with lead, you could bring it home on your body or clothes. Shower and change clothes before coming home. Launder your work clothes separately from the rest of your family's clothes.
- **Hobbies** that use lead, such as making pottery or stained glass, or refinishing furniture. Call your local health department for information about hobbies that may use lead.
- Old **toys** and **furniture** may have been painted with lead-containing paint. Older toys and other children's products may have parts that contain lead.⁴
- Food and liquids cooked or stored in **lead crystal** or **lead-glazed pottery or porcelain** may contain lead.
- Folk remedies, such as "**greta**" and "**azarcon**," used to treat an upset stomach.

⁴ In 1978, the federal government banned toys, other children's products, and furniture with lead-containing paint (16 CFR 1303). In 2008, the federal government banned lead in most children's products. The federal government currently bans lead in excess of 100 ppm by weight in most children's products (76 FR 44463).

For More Information

The National Lead Information Center

Learn how to protect children from lead poisoning and get other information about lead hazards on the Web at epa.gov/lead and hud.gov/lead, or call **1-800-424-LEAD (5323)**.

EPA's Safe Drinking Water Hotline

For information about lead in drinking water, call **1-800-426-4791**, or visit epa.gov/lead for information about lead in drinking water.

Consumer Product Safety Commission (CPSC) Hotline

For information on lead in toys and other consumer products, or to report an unsafe consumer product or a product-related injury, call **1-800-638-2772**, or visit CPSC's website at cpsc.gov or saferproducts.gov.

State and Local Health and Environmental Agencies

Some states, tribes, and cities have their own rules related to lead-based paint. Check with your local agency to see which laws apply to you. Most agencies can also provide information on finding a lead abatement firm in your area, and on possible sources of financial aid for reducing lead hazards. Receive up-to-date address and phone information for your state or local contacts on the Web at epa.gov/lead, or contact the National Lead Information Center at **1-800-424-LEAD**.

Hearing- or speech-challenged individuals may access any of the phone numbers in this brochure through TTY by calling the toll-free Federal Relay Service at **1-800-877-8339**.

U. S. Environmental Protection Agency (EPA) Regional Offices

The mission of EPA is to protect human health and the environment. Your Regional EPA Office can provide further information regarding regulations and lead protection programs.

Region 1 (Connecticut, Massachusetts, Maine, New Hampshire, Rhode Island, Vermont)

Regional Lead Contact
U.S. EPA Region 1
5 Post Office Square, Suite 100, OES 05-4
Boston, MA 02109-3912
(888) 372-7341

Region 2 (New Jersey, New York, Puerto Rico, Virgin Islands)

Regional Lead Contact
U.S. EPA Region 2
2890 Woodbridge Avenue
Building 205, Mail Stop 225
Edison, NJ 08837-3679
(732) 321-6671

Region 3 (Delaware, Maryland, Pennsylvania, Virginia, DC, West Virginia)

Regional Lead Contact
U.S. EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
(215) 814-2088

Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee)

Regional Lead Contact
U.S. EPA Region 4
AFC Tower, 12th Floor, Air, Pesticides & Toxics
61 Forsyth Street, SW
Atlanta, GA 30303
(404) 562-8998

Region 5 (Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin)

Regional Lead Contact
U.S. EPA Region 5 (DT-8J)
77 West Jackson Boulevard
Chicago, IL 60604-3666
(312) 886-7836

Region 6 (Arkansas, Louisiana, New Mexico, Oklahoma, Texas, and 66 Tribes)

Regional Lead Contact
U.S. EPA Region 6
1445 Ross Avenue, 12th Floor
Dallas, TX 75202-2733
(214) 665-2704

Region 7 (Iowa, Kansas, Missouri, Nebraska)

Regional Lead Contact
U.S. EPA Region 7
11201 Renner Blvd.
WWPD/TOPE
Lenexa, KS 66219
(800) 223-0425

Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming)

Regional Lead Contact
U.S. EPA Region 8
1595 Wynkoop St.
Denver, CO 80202
(303) 312-6966

Region 9 (Arizona, California, Hawaii, Nevada)

Regional Lead Contact
U.S. EPA Region 9 (CMD-4-2)
75 Hawthorne Street
San Francisco, CA 94105
(415) 947-4280

Region 10 (Alaska, Idaho, Oregon, Washington)

Regional Lead Contact
U.S. EPA Region 10
Solid Waste & Toxics Unit (WCM-128)
1200 Sixth Avenue, Suite 900
Seattle, WA 98101
(206) 553-1200

Consumer Product Safety Commission (CPSC)

The CPSC protects the public against unreasonable risk of injury from consumer products through education, safety standards activities, and enforcement. Contact CPSC for further information regarding consumer product safety and regulations.

CPSC

4330 East West Highway
Bethesda, MD 20814-4421
1-800-638-2772
cpsc.gov or saferproducts.gov

U. S. Department of Housing and Urban Development (HUD)

HUD's mission is to create strong, sustainable, inclusive communities and quality affordable homes for all. Contact HUD's Office of Healthy Homes and Lead Hazard Control for further information regarding the Lead Safe Housing Rule, which protects families in pre-1978 assisted housing, and for the lead hazard control and research grant programs.

HUD

451 Seventh Street, SW, Room 8236
Washington, DC 20410-3000
(202) 402-7698
hud.gov/offices/lead/

This document is in the public domain. It may be produced by an individual or organization without permission. Information provided in this booklet is based upon current scientific and technical understanding of the issues presented and is reflective of the jurisdictional boundaries established by the statutes governing the co-authoring agencies. Following the advice given will not necessarily provide complete protection in all situations or against all health hazards that can be caused by lead exposure.

U.S. EPA Washington DC 20460
U.S. CPSC Bethesda MD 20814
U.S. HUD Washington DC 20410

EPA-747-K-12-001
September 2013

IMPORTANT!

Lead From Paint, Dust, and Soil in and Around Your Home Can Be Dangerous if Not Managed Properly

- Children under 6 years old are most at risk for lead poisoning in your home.
- Lead exposure can harm young children and babies even before they are born.
- Homes, schools, and child care facilities built before 1978 are likely to contain lead-based paint.
- Even children who seem healthy may have dangerous levels of lead in their bodies.
- Disturbing surfaces with lead-based paint or removing lead-based paint improperly can increase the danger to your family.
- People can get lead into their bodies by breathing or swallowing lead dust, or by eating soil or paint chips containing lead.
- People have many options for reducing lead hazards. Generally, lead-based paint that is in good condition is not a hazard (see page 10).