



The Stokes Group

REAL ESTATE



Disclosure Packet

**6124 32ND PLACE NW
WASHINGTON, DC 20015**

Anslie Stokes Milligan, GRI
McEneaney Associates, Inc., REALTORS
4910 Massachusetts Ave. NW Suite 119, Washington, DC 20016
202-552-5600 - TheStokesGroup.com - 202-270-1081



We Sell Where You Want to Live

Sellers:

Amirali Sharifi, Yoss Missaghian

Legal Information:

Lot:0029 **Block:**2017

Legal Address:6124 32nd Place NW Washington, DC 20015

Contract Requirements:

- Copy of bank statements proving EMD and down payment funds
- Lender approval letter from a local, reputable lender
- GCAAR Sales Contract
- Jurisdictional Disclosure and Addendum to the Sale Contract for Washington, DC
- Addendum of Clauses (if needed)
- Complete Seller Disclosure Packet

Contract Preferences:

- Sellers will give great weight to a strong (at least 10%) Earnest Money Deposit to be held by **Federal Title and Escrow**
- Sellers will give great weight to offers with few, if any contingencies
- Sellers welcome home inspections, but they must be coordinated with listing agent
- Agent prefers to use **Federal Title and Escrow** as the settlement company (Fully Independent with no Joint Venture affiliations) **BUYER AGENTS-** if you have a JV with the title company in your offer, please note that in your email and/or offer summary in addition to providing the proper disclosure as such to the seller

Federal Title & Escrow
5335 Wisconsin Ave. NW #700
Washington, DC 20015
www.federaltitle.com
202.362.1500

Listing Agent Information:

Anslie Stokes Milligan
McEneaney Associates, Inc.
4910 Massachusetts Ave. NW Suite 119

Office Code: MCE7
MRIS ID: 99699
License: DC SP98361041
Broker License # DC-94076





Jurisdictional Disclosure and Addendum to the Sales Contract for District of Columbia

(Required for the Listing Agreement and required for the GCAAR Sales Contract)

The Contract of Sale dated _____, between _____ Buyer and Amirali Sharifi, Yoss Missaghian (Seller) for the purchase of the real property located at Address 6124 32nd Place NW Unit # _____ City Washington State DC Zip Code 20015, Parking Space(s) # _____ Storage Unit # _____ with the legal description of Lot 29 Block/Square 2017 Section _____ Subdivision/Project Name Chevy Chase Tax Account # _____

is hereby amended by the incorporation of this Addendum, which shall supersede any provisions to the contrary in this contract.

PART I. SELLER DISCLOSURE - AT TIME OF LISTING:

The information contained in this Disclosure was completed by Seller, is based on the Seller's actual knowledge and belief, and is current as of the date hereof.

1. **SELLER DISCLOSURE:** Pursuant to D.C. Code §42-1301, Seller is exempt from property condition disclosure.

Yes No

2. **HERITAGE TREES:** Pursuant to DC Code § 8-651.02(3A), a heritage tree is a tree with a circumference of 100 inches or more. Pursuant to D.C. Code § 8-651.04a there are restrictions, penalties and/or fines that may be levied for removal of Heritage Trees. Seller discloses there IS, OR IS NOT, a Heritage Tree, or trees, on the property.

3. **TENANCY:** Seller represents that property is/was OR is not/was not subject to an existing residential lease or tenancy at the time Seller decided to sell. District of Columbia broadly defines a tenant as "a tenant, subtenant, lessee, sublessee, or other person entitled to the possession, occupancy, or the benefits of any rental unit within a housing accommodation." If applicable, the following required Addendum shall be incorporated into the Contract.

- Tenancy Addendum for District of Columbia (Single-Family Accommodation)
- Tenancy Addendum for District of Columbia (2 to 4 Rental Units)
- Multi-Unit or Non-Residential Addendum

4. **CONDOMINIUM/CO-OPERATIVE/HOMEOWNERS ASSOCIATION:** Seller represents that this Property is OR is not subject to a condominium, co-operative or homeowners association. If applicable, the following required addendum is attached:

- Condominium Seller Disclosure/Resale Addendum for District of Columbia,
- Co-operative Seller Disclosure/Resale Addendum for Maryland and District of Columbia, or HOA
- Seller Disclosure/Resale Addendum for District of Columbia

5. UNDERGROUND STORAGE TANK DISCLOSURE: (Applicable to single family home sales only)

In accordance with the requirements of the District of Columbia Underground Storage Tank Management Act of 1990 [D.C. Code §8-113.02(g)], as amended by the District of Columbia Underground Storage Tank Management Act of 1990 Amendment Act of 1992 (the "Act") and the regulations adopted thereunder by the District of Columbia (the "Regulations"), Seller hereby informs Buyer that Seller has no knowledge of the existence or removal during Seller's ownership of the Property of any underground storage tanks as that term is defined in the Act and the Regulations, except as follows: _____

6. **PROPERTY TAXES:** Future property taxes may change. To determine the applicable rate, see https://www.taxpayerservicecenter.com/RP_Search.jsp?search_type=Assessment. Additional information regarding property tax relief and tax credit information (tax reductions for seniors, homestead exemptions, property tax abatements and others) can be found at: <http://otr.cfo.dc.gov/page/real-property-tax-credits-frequently-asked-questions-faqs>.

DocuSigned by: 4/15/2024
Seller Date
Amirali Shari

DocuSigned by: 4/16/2024
Seller Date
Yoss Missaghian

PART II. RESALE ADDENDUM

The Contract of Sale dated _____, between Seller Amirali Sharifi, Yoss Missaghian and Buyer _____ is hereby amended by the incorporation of Parts I and II herein, which shall supersede any provisions to the contrary in the Contract.

1. SELLER DISCLOSURE: Pursuant to D.C. Code §42-1302, prior to the submission of the offer, Buyer is entitled to a Seller's Disclosure Statement (if Seller is not exempt) and hereby acknowledges receipt of same. Yes No Not applicable

2. RECORDATION AND TRANSFER TAXES: Rates vary with the sales price and based on property type. See <http://otr.cfo.dc.gov/service/recorder-deeds-frequently-asked-questions-faqs>. In limited circumstances, an exemption from Recordation Tax may be available to Buyer, if Buyer meets the requirements for the Lower Income Home Ownership Exemption Program ("Tax Abatement Program"). See below for additional information. Unless otherwise negotiated, the following will apply:

A. Real Property: Recordation Tax will be paid by Buyer and Transfer Tax will be paid by Seller.

B. Co-operatives: The Economic Interest Deed Recordation Tax will be split equally between Buyer and Seller. There is no Transfer Tax for Co-operatives.

C. Tax Abatement Program: Additional information (including the required Application Form) for the Tax Abatement Program can be obtained at: http://otr.cfo.dc.gov/sites/default/files/dc/sites/otr/publication/attachments/sharp%40dc.gov_20140909_110358.pdf. If Buyer meets the requirements of this program, Buyer will be exempt from Recordation Tax. Additionally, Seller shall credit Buyer an amount equal to what would normally be paid to the District of Columbia as Seller's Transfer Tax to be applied towards Buyer's settlement costs. This credit shall be in addition to any other amount(s) Seller has agreed to pay under the provisions of this Contract. It is Buyer's responsibility to confirm with Lender, if applicable, that the entire credit provided for herein may be utilized. If Lender prohibits Seller from payment of any portion of this credit, then said credit shall be reduced to the amount allowed by Lender.

Buyer is OR is not applying for the Tax Abatement Program.

D. First-Time Homebuyer Recordation Tax Credit: Buyer is OR is not a District of Columbia First-Time Homebuyer and may be eligible for a reduced recordation tax. It is the Buyer's responsibility to confirm their eligibility (See <https://otr.cfo.dc.gov/node/1272871>).

3. The principals to the Contract mutually agree that the provisions hereof shall survive the execution and delivery of the Deed and shall not be merged herein.

Seller (sign only after Buyer)
Amirali Sharifi

Date

Buyer

Date

Seller (sign only after Buyer)
Yoss Missaghian

Date

Buyer

Date

LEAD-BASED PAINT DISCLOSURE FORM FOR DC REAL ESTATE SALES



Purpose: Inform potential homebuyers of the presence of lead-based paint and related hazards at this property.

This form is required for properties built before 1978. This form must be used in addition to the Federal Lead Disclosure form because the DC Law provides additional protections for the purchaser.

- Housing built before 1978 is presumed to contain lead-based paint.
- Lead from paint, paint chips, and dust may pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women.
- Lead poisoning in young children may produce permanent neurological damage, learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory.
- Lead poisoning poses a particular risk to developing fetuses and pregnant women.
DC Law requires the buyer to have this information **before** they decide to rent or purchase the property.

Are you a POTENTIAL BUYER?

Review this page carefully before following instructions on page two.

Are you a PROPERTY OWNER?

You will need the following information to complete this form:

- Copies of any lead-based paint, assessments, or surveys related to the property.
- The latest version of the EPA Protect Your Family From Lead in Your Home pamphlet.
- Knowledge about lead-contaminated dust/soil and condition of the paint on the property.
- Knowledge about any lead-related legal actions taken against the property.

Property owners and managers: keep the signed original of this form on record for at least 6 years from the date of the most recent signature, as you may be audited by the DC Department of Energy and Environment.

What to look for inside the property or in the property's common areas:

- Peeling, chipping, chalking, cracking, or damaged paint.
- Lead-based paint on windows, doors, stairs, railings, banisters, porches, or other high-wear surfaces that children might chew.
- Lead that is present in bare soil.
- Lead dust that forms when lead-based paint is scraped, sanded, or heated, or when painted surfaces with lead in them bump or rub together.
- Surfaces with lead paint chips/dust, or settled dust that reenters the air through vacuuming or sweeping.

For more information see The District of Columbia Lead-Hazard Prevention and Elimination Act of 2008, D.C. Official Code § 8-231.01 et seq., and the Federal Lead Warning Statement, 24 CFR Part 35 and 745. Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of known lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention. <http://bit.ly/federallead>.

If you need help in your language, please call 202-535-2600. | በአማርኛ እርዳታ ከፈለጉ በ 202-535-2600 ይደውሉ። | Si necesita ayuda en Español, por favor llame al 202-535-2600. | Si vous avez besoin d'aide en Français appelez-le 202-535-2600. | 如果您需要中文服務，請致電 202-535-2600 | 한국어로 도움이 필요합니까? 무료 한국어통역: 202-535-2600 | Nếu quý vị cần giúp đỡ bằng tiếng Việt, xin gọi 202-535-2600.

IF YOU ARE:

YOU NEED TO:

The property owner	<ul style="list-style-type: none"> ■ Complete Sections A and B. ■ Provide a copy to the buyer.
The potential buyer	<ul style="list-style-type: none"> ■ Carefully review Section B. ■ Sign Section C.




SECTION A: PROPERTY OWNER'S SIGNATUREProperty Address: **6124 32nd Place NW**

Unit:


Washington, DC

Zip: **20015**

I am the owner of this property and will truthfully give the answers to the following questions about lead-based paint/hazards in or around this property, and lead reports.

Owner Name: **Amirali Sharifi**Signature: 

4/15/2024

Owner Name: **Yoss Missaghian**Signature: 

4/16/2024

SECTION B: INFORMATION ABOUT LEAD-BASED PAINT IN THIS PROPERTY**Lead-based paint is assumed to be present in properties built before 1978. To the best of your knowledge, is there lead-based paint inside or around the property, including common area(s)?** Yes, in the following location(s): _____ No, I am not aware of any lead-based paint, but because the property was built before 1978 it is assumed to be present.**To the best of your knowledge, is there peeling or chipping paint, lead-contaminated dust/soil, or other lead-based paint hazards inside or around the property?** No Yes, in the following locations(s): _____
*For more space attach a summary***Does DC Government have any pending actions related to lead-based paint for this property?***Check all that apply*

- A notice of violation
 A notice of lead-based paint hazards
 An administrative order to eliminate lead-based paint hazards
 Other notices or orders related to lead-based paint. **Please list:** _____
 There are no pending actions related to lead-based paint at this property.

Are there any reports or documents about lead-based paint or lead-based paint hazards at this property (including in bare soil and sheds, garages, common area(s) or other appurtenances)?*This includes reports or documents provided to you by a previous or current owner, tenant, property manager, DC Government agency, or contractor.* No Yes **and** I understand I must provide a copy of those documents to the buyer if they ask.**SECTION C: BUYER'S ACKNOWLEDGEMENT****I was provided this form and the *Protect Your Family from Lead in Your Home* pamphlet before I signed a lease or purchase agreement.** Yes No, I have already signed a lease or purchase agreement.**I understand I have the right to ask the owner or manager for any reports or documents about lead-based paint or lead-based paint hazards at this property (including on bare soil and sheds, garages, or other appurtenances) .**

Name:

Signature:

Date:

Name:

Signature:

Date:





Lead Paint -Federal Disclosure of Lead-Based Paint and Lead-Based Paint Hazards for SALES

(Required for the SALE of all properties in the U.S. with any existing part built prior to 1978)

PROPERTY ADDRESS: 6124 32nd Place NW, Washington, DC 20015

There are parts of the property that still exist that were built prior to 1978 OR No parts of the property were built prior to 1978 OR Construction dates are unknown. If any part of the property was constructed prior to 1978 or if construction dates are unknown, this disclosure is required. If the entire property was built in 1978 or later, this disclosure is not required.

LEAD WARNING STATEMENT FOR BUYERS: Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

SELLER'S DISCLOSURE:

(A) Presence of lead-based paint and/or lead-based paint hazards

Known lead-based paint and/or lead-based paint hazards are present in the housing (explain): _____ OR

Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(B) Records and reports available to the Seller:

Seller has provided Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below): _____ OR

Seller has no reports or records pertaining to lead - based paint and/or lead-based paint hazards in the housing.

BUYER'S ACKNOWLEDGMENT:

(Buyer to initial all lines as appropriate)

(C) _____ / _____ Buyer has read the Lead Warning Statement above.

(D) _____ / _____ Buyer has read Paragraph B and acknowledges receipt of copies of any information listed therein, if any.

(E) _____ / _____ Buyer has received the pamphlet Protect Your Family From Lead in Your Home (required).

(F) _____ / _____ Buyer has (check one below):

Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; OR

Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

AGENT'S ACKNOWLEDGMENT: (Agent to initial)

(G) ll^{DS} Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852d and is aware of his/her responsibility to ensure compliance.

CERTIFICATION OF ACCURACY: The following parties have reviewed the information above and certify, to the best of their knowledge, that the information provided by the signatory is true and accurate.

DocuSigned by: [Signature] 4/15/2024
Seller _____ Date
Amirali Sharifi

Buyer _____ Date

DocuSigned by: YOSS MISSAGHIAN 4/16/2024
Seller _____ Date
Yoss Missaghian

Buyer _____ Date

DocuSigned by: Anslie Stokes 4/15/2024
Agent for Seller, if any _____ Date
Anslie Stokes

Agent for Buyer, if any _____ Date

GCAAR # 907A: Federal Lead Paint Sales Disclosure -MC & DC 2016, The Greater Capital Area Association of REALTORS®, Inc. 2/2016
This Recommended Form is the property of the Greater Capital Area Association of REALTORS®, Inc. and is for use by REALTOR members only. Previous editions of this Form should be destroyed.

DISCLOSURE OF AFFILIATED BUSINESS RELATIONSHIPS

MCENEARNEY ASSOCIATES, MIDDLEBURG REAL ESTATE AND ATOKA PROPERTIES

This statement is to provide notice of an affiliated business relationship between the following entities doing business as McEneaney Associates, McEneaney Commercial, Middleburg Real Estate, and Atoka Properties. Each of these affiliated entities is wholly owned by a common parent, National Capital Partners, LLC., which is owned by McEneaney Holdings, LLC and Pejacevich and Buzzelli, LLC.

BUSINESS RELATIONSHIPS WITH SERVICE PROVIDERS

In addition to the business relationships referenced above, McEneaney Associates, Middleburg Real Estate, and Atoka Properties have marketing relationships with other service providers which are listed below. These are contractual agreements that provide marketing opportunities for those service providers through our real estate offices. These opportunities include such things as placing marketing materials in our offices, including information about their services in mailings, broadcast emails, property brochures, company websites, and social media. They are provided with in-office opportunities to sponsor or conduct seminars and to expand their customer base. These service providers pay an appropriate fee for the marketing opportunities provided. There is no fee for any referral of clients or customers to these providers, nor is this disclosure intended to be a referral to those providers.

CONSUMERS AND PROSPECTIVE CONSUMERS ARE NOT REQUIRED TO USE THE SERVICES OF THESE PROVIDERS. THERE ARE FREQUENTLY OTHER PROVIDERS AVAILABLE WITH SIMILAR SERVICES. YOU ARE ENCOURAGED TO SHOP AROUND TO DETERMINE THAT YOU ARE RECEIVING THE BEST SERVICES AND RATES FOR THOSE SERVICES.

SERVICE PROVIDERS WITH WHOM WE HAVE CURRENT AGREEMENTS:

Atlantic Coast Mortgage, LLC - Provider of residential mortgages

Movement Mortgage, LLC - Provider of residential mortgages

Vesta Settlements, LLC - Provider of real estate settlement services

I/we have read this disclosure statement and understand and acknowledge the business and financial relationships disclosed herein.

Purchaser/Tenant

DocuSigned by:

5c9c853b8f442f

4/15/2024

Seller/Landlord
Amirali Sharifi

DocuSigned by:

4055 MISSAGHIAN

4/16/2024

Purchaser/Tenant

Seller/Landlord
Yoss Missaghian



Inclusions/Exclusions Disclosure and Addendum

(Required for use with GCAAR Listing Agreement & Sales Contract)

PROPERTY ADDRESS: 6124 32nd Place NW, Washington, DC 20015

PERSONAL PROPERTY AND FIXTURES: The Property includes the following personal property and fixtures, if existing: built-in heating and central air conditioning equipment, plumbing and lighting fixtures, sump pump, attic and exhaust fans, storm windows, storm doors, screens, installed wall-to-wall carpeting, central vacuum system (with all hoses and attachments); shutters; window shades, blinds, window treatment hardware, mounting brackets for electronics components, smoke, carbon monoxide, and heat detectors; TV antennas; exterior trees and shrubs; and awnings. Unless otherwise agreed to herein, all surface or wall mounted electronic components/devices **DO NOT CONVEY**. The items checked below convey. If more than one of an item conveys, the number of items is noted in the blank.

KITCHEN APPLIANCES

- Stove/Range
- Cooktop
- Wall Oven
- Microwave
- Refrigerator
- w/ Ice Maker
- Wine Refrigerator
- Dishwasher
- Disposer
- Separate Ice Maker
- Separate Freezer
- Trash Compactor

ELECTRONICS

- Security Cameras
- Alarm System
- Intercom
- Satellite Dishes
- Video Doorbell

RECREATION

- Hot Tub/Spa, Equipment, & Cover
- Pool Equipment & Cover
- Sauna
- Playground Equipment

LIVING AREAS

- Fireplace Screen/Door
- Gas Log
- Ceiling Fans
- Window Fans
- Window Treatments

OTHER

- Storage Shed
- Garage Door Opener
- Garage Door Remote/Fob
- Back-up Generator
- Radon Remediation System
- Solar Panels (must include Solar Panel Seller Disclosure/Resale Addendum)

LAUNDRY

- Washer
- Dryer

WATER/HVAC

- Water Softener/Conditioner
- Electronic Air Filter
- Furnace Humidifier
- Window A/C Units

THE FOLLOWING ITEMS WILL BE REMOVED AND NOT REPLACED: _____

LEASED ITEMS, LEASED SYSTEMS & SERVICE CONTRACTS: Leased items/systems or service contracts, including but not limited to: appliances, fuel tanks, water treatment systems, lawn contracts, pest control contracts, security system and/or monitoring, and satellite contracts **DO NOT CONVEY** unless disclosed here: Leased Alarm System Conveys

CERTIFICATION: Seller certifies that Seller has completed this checklist disclosing what conveys with the Property.

DocuSigned by: Seller Amirali Sharifi	4/23/2024 Date	DocuSigned by: Seller Yoss Missaghian	4/22/2024 Date
---	-------------------	---	-------------------

ACKNOWLEDGEMENT AND INCORPORATION INTO CONTRACT: (Completed only after presentation to the Buyer)

The Contract of Sale dated _____ between Seller **Amirali Sharifi, Yoss Missaghian** and Buyer _____ for the Property referenced above is hereby amended by the incorporation of this Addendum.

Seller (sign only after Buyer)	Date	Buyer	Date
Amirali Sharifi			
Seller (sign only after Buyer)	Date	Buyer	Date
Yoss Missaghian			



Seller's Disclosure Statement

Instructions

These Instructions are to assist the Seller in completing the required Seller's Disclosure Statement in order to comply with the District of Columbia Residential Real Property Seller Disclosure Act.

1. Who must complete the Seller's Disclosure Statement?

The Seller must complete the Statement him or herself (not the broker, management company, condominium association, cooperative association, or homeowners association).

2. The Seller must provide the Seller's Disclosure Statement to the Purchaser for the following transactions:

The Act applies to the following types of transfers or sales of District of Columbia real estate:

- a. Where the property consists of one to four residential dwelling units, and,
- b. The transactions a sale, exchange, installment land contract, lease with an option to purchase, or any other option to purchase, and,
- c. The purchaser expresses, in writing, an interest to reside in the property to be transferred.

3. The Seller does not need to complete the Seller's Disclosure Statement for the following transactions:

- a. Court ordered transfers;
- b. Transfers to a mortgagee by a mortgagor in default;
- c. Transfers by sale under a power of sale in a deed of trust or mortgage or any foreclosure sale under a decree of foreclosure or deed in lieu of foreclosures;
- d. Transfers by a non-occupant fiduciary administering a decedent's estate, guardianship, conservatorship or trust;
- e. Transfers between co-tenants;
- f. Transfers made to the transferor's spouse, parent, grandparent, child, grandchild or sibling (or any combinations of the foregoing);
- g. Transfer between spouses under a divorce judgment incidental to such a judgment;
- h. Transfers or exchanges to or from any governmental entity; and
- i. Transfers made by a person of newly constructed residential property that has not been inhabited.

4. When does the Seller's Disclosure Statement have to be provided to the Purchaser?

In a sale, before or at the time the prospective transferee executes a purchase agreement with the transferor. In an installment sales contract (where a binding purchase contract has not been executed), or in the case of a lease with no option to purchase, before or at the time the prospective transferee executes the installment sales contract or lease with the transferor.

5. What information must the Seller disclose?

Answer ALL questions on the Seller's Disclosure Statement. If some items do not apply to your property, check "N/A" (not applicable). If you do not know the facts, check "UNKNOWN". Report actually known conditions referred to in the questions. Each disclosure must be made in "good faith" (honesty in fact in the making of the disclosure). Attach additional pages with your signature if additional space is required.

The Seller of a condominium unit, cooperative unit, or a lot in a homeowners association, is to provide information only as to the Seller's unit or lot, and not as to any common elements, common areas or other areas outside of the unit or lot.

6. What is the remedy if the Seller does not provide the Seller's Disclosure Statement to the Transferee?

If the Seller's Disclosure Statement is delivered after the purchaser executes the purchase agreement, installment sales contract or lease with an option to purchase, the purchaser may terminate the transaction by written notice to the seller not more than five (5) calendar days after receipt of the Seller's Disclosure Statement by the purchaser, and the deposit must be returned to the purchaser. The right to terminate is waived if not exercised before the earliest of:

- a. the making of an application for a mortgage loan (if the lender discloses that the right to rescind terminates on submission of the application); or
- b. settlement or date of occupancy in the case of a sale; or
- c. occupancy in the case of a lease with an option to purchase.

7. If the Seller finds out different information after providing the Seller's Disclosure Statement to the Purchaser, how does this impact a ratified contract?

If information becomes inaccurate after delivery of the disclosure form, the inaccuracy shall not be grounds for terminating the transaction.

8. How must a Seller deliver the Seller's Disclosure Statement to the Transferee?

The Seller's Disclosure Statement must be delivered by personal delivery, facsimile delivery, or by registered mail to the transferee. Execution by the transferor or of a facsimile is considered execution of the original.

SELLER'S PROPERTY CONDITION STATEMENT For Washington, DC

Purpose of Statement: This Statement is a disclosure by the Seller of the defects or information actually known by the Seller concerning the property, in compliance with the District of Columbia Residential Real Property Seller Disclosure Act. Unless otherwise advised, the Seller does not possess an expertise in construction, architecture, engineering, or any other specific area related to the construction of the improvements on the property or the land. Also, unless otherwise advised, the Seller has not conducted any inspection of generally inaccessible areas such as the foundation or roof. THIS STATEMENT IS NOT A WARRANTY OF ANY KIND BY THE SELLER OR BY ANY AGENT REPRESENTING THE SELLER IN THIS TRANSACTION, AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN.

Seller Disclosure: The Seller discloses the following information with the knowledge that, even though this is not a warranty, the Seller specifically makes the following statements based on the seller's actual knowledge at the signing of this document. Upon receiving this statement from the Seller, the Seller's agent is required to provide a copy to the Buyer or the agent of the Buyer. The Seller authorizes its agent (s) to provide a copy of this statement to any prospective buyer or agent of such prospective buyer in connection with any actual or anticipated sale of property. The following are statements made solely by the Seller and are not the statements of the Seller's agent (s), if any. This information is a disclosure only and is not intended to be a part of any contract between Buyer and Seller.

The seller(s) completing this disclosure statement have owned the property from:	01/2011	To:	Present
---	---------	------------	---------

The seller(s) completing this disclosure have occupied the residence from:	01/2011	To:	Present
---	---------	------------	---------

6124 32nd Place NW
Property Address: Washington, DC 20015

The property is included in: **Condominium Association** **Cooperative** **Homeowners association with mandatory participation and fee**

If this is a sale of a condominium unit or cooperative unit, or in a homeowners association, this disclosure form provides information only as to the unit (as defined in the governing documents of the association) or lot (as defined in the covenants applicable to the lot), and not as to any common elements, common areas or other areas outside of the unit or lot.

A. Structural Conditions

1. Roof	<input type="checkbox"/> Roof is a common element maintained by condominium or cooperative (if you check this box, no further roof disclosure required; go to section B)
	Replaced in 2014 Age of Roof: <input type="checkbox"/> 0-5 years <input checked="" type="checkbox"/> 5-10 years <input type="checkbox"/> 10-15 years <input type="checkbox"/> 15+years <input type="checkbox"/> Unknown
	Does the seller have actual knowledge of any current leaks or evidence of moisture from roof? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any existing fire retardant treated plywood? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>

2. Fireplace/ Chimney(s)	Does the seller have actual knowledge of any defects in the working order of the fire places? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> No Fireplace(s) <i>If yes, please provide comments:</i>
	Does the seller know when the chimney(s) and/or flue were last inspected and/or serviced? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No chimneys or flues <i>If yes, when were they last serviced or inspected? Cap replaced in July 2022.</i>

3. Basement	Does the seller have actual knowledge of any current leaks or evidence of moisture in the basement? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any structural defects in the foundation? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i>

4. Walls and Floors	Does the seller have actual knowledge of any structural defects in walls or floors? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, please provide comments: Plexiglass in the attic is not weight bearing and is not meant to walk on
5. Insulation	Does the seller have actual knowledge of presence of urea formaldehyde foam insulation? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, please provide comments:
6. Windows	Does the seller have actual knowledge of any windows not in normal working order? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If yes, please provide comments: All original windows , sell as is

B. Operating Condition of Property Systems

1. Heating System	<input type="checkbox"/> Heating system is a common element maintained by condominium or cooperative (if you check this box, no further disclosure on heating system required; go to section B.1.)
	Type of System: <input checked="" type="checkbox"/> Forced Air <input type="checkbox"/> Radiator <input type="checkbox"/> Heat Pump <input type="checkbox"/> Electric baseboard <input type="checkbox"/> Other
	Heating Fuel <input checked="" type="checkbox"/> Natural Gas <input type="checkbox"/> Electric <input type="checkbox"/> Oil <input type="checkbox"/> Other
	Age of system <input type="checkbox"/> 0-5 years <input type="checkbox"/> 5-10 years <input type="checkbox"/> 10-15 years <input checked="" type="checkbox"/> Unknown
	Does the heating system include a humidifier? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	Does the heating system include an electronic air filter? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	Does the seller have actual knowledge that heat is not supplied to any finished rooms? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any defects in the heating system? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	If installed, does the seller have actual knowledge of any defects with the humidifier and electronic filter? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i>

2. Air Conditioning System	<input type="checkbox"/> Air conditioning is a common element maintained by condominium or cooperative (if you check this box, no further disclosure on the air conditioning system is required; go to section B.3.)
	Type of system: <input checked="" type="checkbox"/> Central AC <input type="checkbox"/> Heat Pump <input type="checkbox"/> Window/wall units <input type="checkbox"/> Other <input type="checkbox"/> Not Applicable
	AC Fuel: <input type="checkbox"/> Natural Gas <input checked="" type="checkbox"/> Electric <input type="checkbox"/> Oil <input type="checkbox"/> Other
	Age of System: <input type="checkbox"/> 0-5 years <input type="checkbox"/> 5-10 years <input type="checkbox"/> 10-15 years <input checked="" type="checkbox"/> Unknown
	Does the heating system include a humidifier? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	Does the heating system include an electronic air filter? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Unknown
	If central AC, does the seller have actual knowledge that cooling is not supplied to any finished rooms? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any problems or defects in the cooling system? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Applicable <i>If yes, please provide comments:</i>

3. Plumbing System	Type of material: (check all that apply) <input type="checkbox"/> Copper <input type="checkbox"/> Lead <input type="checkbox"/> Galvanized iron <input type="checkbox"/> Brass <input type="checkbox"/> PVC <input type="checkbox"/> Plastic polybutelene <input checked="" type="checkbox"/> Unknown
	Water Supply: <input checked="" type="checkbox"/> Public <input type="checkbox"/> Well
	Sewage Disposal Treatment: <input checked="" type="checkbox"/> Public <input type="checkbox"/> Septic tank <input type="checkbox"/> Cesspool <input type="checkbox"/> Onsite treatment
	Water Heater Fuel: <input checked="" type="checkbox"/> Natural Gas <input type="checkbox"/> Electric <input type="checkbox"/> Oil <input type="checkbox"/> Other
	Does the seller have actual knowledge of any defects with the plumbing system? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
4. Water System	Does the seller have actual knowledge of the results of any lead tests conducted on the water supply of the property? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>If yes, please test results: See attached results</i>
	Does the seller have actual knowledge that the property has been included on the DC Water service line map website (https://www.dewater.com/leadmap , as of August 2019) as a property with a lead water service line on the private property or in public space? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any lead-bearing plumbing, including the water service line servicing the property? <input type="checkbox"/> Yes, there is a lead service line servicing the property <input type="checkbox"/> Yes, there is lead bearing plumbing on the property <input checked="" type="checkbox"/> No <i>Comments:</i>
	If there is a lead service line servicing the property, does the seller have actual knowledge that any portion of the lead water service line has been replaced? (Note: This applies to portions of the service line on private property and in public space). <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not applicable <i>If yes, please provide date(s) of replacement(s):</i>
5. Electrical System	Does the seller have actual knowledge of any defects in the electrical system, including the electrical fuses, circuit breakers, outlets, or wiring? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>If yes, please test results: Garage has no power to it.</i>

C. Appliances and Fixtures

Does the seller have actual knowledge of any defects with the following appliances?

Range/Oven	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable
Dishwasher	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable
Refrigerator	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable
Rangehood/fan	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable
Microwave oven	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable
Garbage Disposal	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable
Sump Pump	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Trash compactor	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
TV antenna/controls	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Central vacuum	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Ceiling fan	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Attic fan	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Sauna/Hot tub	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Pool heater & equip	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Security System	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable
Intercom System	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Garage door opener	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> Not Applicable
& remote controls	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Lawn sprinkler system	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Water treatment system	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Smoke Detectors	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Carbon Monoxide detectors	<input type="checkbox"/> Yes	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Not Applicable
Other Fixtures or Appliances	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	<input type="checkbox"/> Not Applicable

If yes to any of the above, please describe the defects:

Garage roll-up door is non-functional and sold as-is.

D. Exterior/Environmental Issues

1. Exterior Drainage	Does the seller have actual knowledge of any problem with drainage on the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<i>If yes, please provide comments:</i>

2. Damage to Property	Does the seller have actual knowledge whether the property has previously been damaged by:
	Fire: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Wind: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Flooding: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<i>If yes, please provide comments:</i>

3. Wood destroying insects or rodents?	Does the seller have actual knowledge of any infestation or treatment for infestations? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<i>If yes, please provide comments:</i> Sentricon system installed as preventative measure. Contract expired in 03/2024
	Does the seller have actual knowledge of any prior damage or repairs due to a previous infestation? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	<i>If yes, please provide comments:</i>

4. Other Issues	Does the seller have actual knowledge of any problem with drainage on the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any substances, materials or environmental hazards (including but not limited to asbestos, radon gas, lead based paint, underground storage tanks, formaldehyde, contaminated soil, or other contamination) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge of any zoning violations, nonconforming uses, violation of building restrictions or setback requirements, or any recorded or unrecorded easement, except for utilities, on or affecting the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge that this property is a D.C. Landmark included in a designated historic district or is designated a historic property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Has the property been cited for a violation of any historic preservation law or regulation during your ownership? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge if a facade easement or a conservation easement has been placed on the property? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>
	Does the seller have actual knowledge that the property has received a vacant or blighted building exemption? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>If yes, please provide comments:</i>

Certification and Signature

The seller(s) certifies that the information in this statement is true and correct to the best of their knowledge as known on the date of signature.

DocuSigned by:

 Seller's Signature
 Amirali Sharifi

4/23/2024
 Date

DocuSigned by:

 Seller's Signature
 Yoss Missaghian

4/22/2024
 Date

Buyer(s) have read and acknowledge receipt of this statement and acknowledge that this statement is made based upon the seller's actual knowledge as of the above date. This disclosure is not a substitute for any inspections or warranties which the buyer(s) may wish to obtain. This disclosure is NOT a statement, representation, or warranty by any of the seller's agents or any sub-agents as to the presence or absence of any condition, defect or malfunction or as to the nature of any condition, defect or malfunction.

 Buyer's Signature

 Date

 Buyer's Signature

 Date

From:

Date: Tuesday, April 23, 2024 at 10:32 AM

To: Anslie Stokes Milligan <anslie@thestokesgroup.com>,

Subject: Fwd: Water Test Results

Hi Anslie

Below is the email from DC water on test results.

Thanks,
Ali

----- Forwarded message -----

From: **Douglas McCauley** <Douglas.McCauley@dcwater.com>

Date: Thu, Dec 15, 2022 at 12:55 PM

Subject: Water Test Results

To:

6124 32nd PI NW
Washington, DC 20015

Dear Customer:

DC Water processed the water samples collected in your home on 11/6/2022. These lead concentrations found are a snapshot of lead levels at the time samples were taken and can indicate if a lead source is present within the service pipe or household plumbing. A copy of these results can be found on your MyDCWater.com portal.

- First draw: Measures lead release from the faucet and approximately 10-20 ft of pipe feeding the faucet.
- Second draw: Measures lead release from the service pipe (the pipe that connects the water main in the street to your household plumbing) and household plumbing.

Sample	Lead Level (parts per billion - ppb)*
First Draw	0
Second Draw	0

*Result of zero is non-detectable or less than the laboratory reporting limit of 0.2 ppb.

To reduce the amount of lead entering your water:

1. Identify and remove lead sources.

- Replace lead and galvanized iron water service pipes with copper. See the pipe material information DC Water has for your home at: dcwater.com/lead. See dcwater.com/replacelead or call the Drinking Water Division at 202-787-4044.
- Replace household galvanized iron plumbing. Lead can accumulate over time inside galvanized iron pipes, and be released even after lead service pipe replacement. Visit dcwater.com/identifylead for a guide to identifying household plumbing.
- Install lead-free plumbing fixtures certified to meet NSF Standard 61 Annex G (NSF 61-G). Effective in 2014, fixtures that are labeled “lead-free” cannot contain more than 0.25 percent lead.
- Lead solder may be present on copper pipes installed before 1987. Plumbing work can cause small particles to loosen and detach. Remove faucet aerators and run the cold water for at least 10 minutes from each faucet following the work activity.

2. Flush your pipes before using any tap water for drinking or cooking, especially if water has not been used for hours.

- Run cold water until the temperature changes, and then allow it to run for an additional two minutes.
- Lead and other metals can dissolve in water when it sits in pipes. Running water brings in fresh water from the water main.

3. Use only cold water for drinking and cooking.

- This includes water for beverages, infant formula, and cooking.
- Hot tap water can cause a greater amount of lead to release from plumbing.
- Boiling water does not reduce lead levels.

4. Filter your water if there are known or suspected lead sources.

- Select a filter certified to meet NSF Standard 53 for lead removal. The filter package should specifically list the device as certified for removing the contaminant "lead."
- We recommend "Point-of-use" (POU) filters that are pitcher-style filters or are installed above or below the faucet or sink. For the installed filters, we recommend using a filter with antimicrobial protection to minimize bacterial growth on the filter.
- Visit the NSF International website for certified drinking water filters at www.nsf.org/Certified/DWTU or call 1-800-673-8010.
- Routinely replace filter cartridges according to the manufacturer's instructions.

5. Remove and routinely clean faucet aerators every 3 months.

- Metal particles can accumulate in the faucet aerator, located at the tip of the faucet.
- Remodeling or plumbing work can vibrate pipes, releasing metal particles from lead solder or lead pipes.
- Following any work activity, remove faucet aerators and run cold water for at least 10 minutes. After work activity, the kitchen faucet aerator should be removed and cleaned weekly for 4 weeks.

Lead can cause serious health problems if too much enters your body from drinking water or other sources. It can cause damage to the brain and kidneys and can interfere with the production of red blood cells. The greatest risk of lead exposure is to infants, young children, and pregnant women. Scientists have linked the effects of lead on the brain with lowered IQ in children. Adults with kidney problems and high blood pressure can be affected by low levels of lead more than healthy adults. Lead is stored in the bones and can be released later in life. During pregnancy, the baby receives lead from the mother's bones which may affect brain development and growth.

The District's Department of Energy and Environment (DOEE) offers information on blood lead testing for children, lead poisoning prevention, lead safety measures, and is the agency charged with enforcing the District's lead laws. For more information, contact DOEE at 202-535-2600 or visit www.doe.dc.gov/lead. You can also visit EPA's website at www.epa.gov/lead and CDC's website at www.cdc.gov/lead.

EPA required regulatory definitions:

Action Level - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. The Action Level for lead is 15 parts per billion of the 90th percentile of Lead and Copper Rule compliance samples.

Maximum Contaminant Level Goal or MCLG- The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. The MCLG for lead is zero.

DC Water contact information:

- Lead Pipe Replacement Information: lead@dcwater.com or 202-787-4044
- Drinking Water Quality Information: drinkingwater@dcwater.com or 202-612-3440

Sincerely,



Maureen Schmelling

Director, Department of Water Quality and Technology

